

SAYE COLLECTION STOOL

by angelettiruzza design | 2023



Item code: Saye.14
(Saye.14.s09.ssf7)

Collection

SAYE is a contemporary reinterpretation of the classic folding director's chair.


It is comfortable, solid, functional, and beautiful, with a structure made of die-cast aluminum.

This material and technology ensure exceptional outdoor performance, such as lightness, resistance to the elements, and sturdiness.


Product Dimension

cm / inch

cm / inch



64 25/4"



47.5 18 1/4"

Weight 5 kg/ 11 lbs

Product Details

ALUMINIUM

Most Popular Metal

[more detail visit pg.2](#)




BEIGE GREY

Aluminum is a light weight and strong metal with an excellent strength-to-weight ratio and corrosion resistance. These properties make it an ideal material for outdoor furniture. Although aluminum is the most popular material for outdoor furniture, despite being light weight, it is durable and can be easily processed into various complex shapes.

FABRIC

Excellent Solution

[more detail visit pg.3](#)



SMOKEY QUARTZ

Elios Sling brings comfort to daily life with its lightweight structure and practical use. Beyond just being comfortable, it is water-resistant and easy to maintain. It resists tearing or cracking easily. It is resistant to mold formation, UV rays, preventing color fading.

SAYE COLLECTION

STOOL

by angelettiruzza design | 2023

ALUMINUM

Aluminium is a light and strong metal with excellent strength-to-weight ratio and corrosion resistance. These properties make it an ideal material for outdoor furniture. Despite its light weight, aluminium is durable and is coated with polyester electrostatic powder coating for added protection against knocks and scratches and to add colour to the product. As the powder coating adheres better to the metal, it also makes the product much more resistant to fading.

JOTUN and Akzo Nobel branded powder coatings are used in YAAZ aluminium products.

ALUMINUM COATING

JOTUN powder coatings used in YAAZ products have been tested against high amounts of UV radiation and strong winds. In addition, powder coatings have been tested in some of the hottest, most humid and corrosive environments in the world, such as Southeast Asia and the Middle East.

CONCRETE COATING

The stone effect paint collection, developed with the cement spraying method, offers a great alternative for aesthetic surfaces in outdoor products.

Cleaning and Using Instructions

Over time with exposure to the elements, powder coatings may show signs of weathering such as loss of gloss, chalking and slight colour change. A simple regular clean will minimize the effects of weathering and will remove dirt, grime and other build-up detrimental to all powder coatings.

For any particular region or territory, there may be local regulations or local requirements to be met in order to achieve conformance to certain published quality labels or standards. It is the users' responsibility to be aware of such standards.

Failure to comply with the recommended cleaning schedule will nullify any warranties.

Cleaning should start at the time the products are installed, ensuring that construction materials such as concrete, plaster and paint splashes are removed before they have a chance to dry. Failure to remove these materials at this early stage will require the use of aggressive cleaning materials and techniques with potential damage to the powder coated surface.


Best cleaned by regularly washing the coating using warm water and a non-abrasive, pH neutral detergent solution. Surfaces should be rinsed thoroughly after cleaning to remove all residue. All surfaces should be cleaned using a soft cloth or sponge or something harder than a soft natural bristle brush.

If the project is subject to any hazardous unusual environmental factors, or is close to salt water, an estuary or marine environments then YAAZ must be consulted on an individual project basis.

Renovation can be required in the case of heavy soiling (due to lack of maintenance).

In no circumstance should any abrasive cleaner or polish, or any cleaner containing ketones, esters be used.

ALUMINUM COLOR OPTIONS



Agate Grey



Beige Grey



Beige Pink



Black



Cement Grey



Copper Brown



Dark Beige



Pastel Turquoise



Graphite Grey



Grey Blue



Light Beige



Oyster White



Moss Grey



Olive Green



Red Brown



Tele Grey



Terra Brown



Toffee



Bronza



Crema

SAYE COLLECTION

STOOL

by angelettiruzza design | 2023

SERGE FERRARI ELIOS SLING

Serge Ferrari Elios Sling is designed to enhance your outdoor living spaces. Its elegant texture and color variety add aesthetic value to your furniture and designs. Additionally, its practical use brings comfort to your daily life.

Elios Sling brings comfort to daily life with its lightweight structure and practical use. Beyond just being comfortable, it is water-resistant and easy to maintain. It resists tearing or cracking easily. It is resistant to mold formation, UV rays, preventing color fading.

Cleaning and Using Instructions

Brush off any loose dirt or debris from the surface of the fabric using a soft-bristled brush.

Apply a solution of water and mild soap to the fabric with a sponge or soft cloth.

Gently scrub the fabric in a circular motion, taking care not to rub too hard.

Rinse the fabric thoroughly with clean water, ensuring that all soap residue is removed.

Allow the fabric to air dry completely before use.

Machine wash the fabric in cold water using a mild detergent on a gentle cycle.

Do not use bleach or fabric softeners, as these can damage the fabric and affect its water-resistant properties.

If ironing is necessary, use a low heat setting and a pressing cloth to avoid direct contact with the fabric.

Avoid exposing the fabric to prolonged periods of direct sunlight, as this can cause fading and damage to the fabric.


Protect the fabric from harsh weather conditions, such as rain, snow, and extreme temperatures, by covering it with YAAZ covers or storing it indoors when not in use.

Avoid using harsh chemicals, bleach, or fabric softeners, as these can damage the fabric and affect its water-resistant properties.


If the fabric becomes wet, allow it to air dry completely before use to prevent mold and mildew growth.

Regularly inspect the fabric for any signs of damage or wear, such as tears or fraying, and address any issues promptly to prevent further damage.


SERGE FERRARI ELIOS SLING COLOR OPTIONS




serpentine



smokey quartz



pyrite



satellite