YAAZ

COLLECTION: UZ
PRODUCT: TABLE 90 (Code: Uz.33)

BY ANGELETTIRUZZA DESIGN | 2021



Product Specifications


Width	90 cm / 35.50'' in
Depth	90 cm / 35.50'' in
Height	75 cm / 29.50'' in
Weight	26 kg / 57,3 lbs
Primary Materials	Teak

Product Overview


Designed by Italian studio Angelettiruzza Design, the Uz Table.90 combines refined minimalism with the natural warmth of teak. Measuring 90x90 cm, its compact square form is ideal for intimate dining areas, terraces, and garden settings.

Crafted entirely from premium teak wood, it showcases the material's rich natural grain and durability. Unlike larger folding tables in the Uz Collection, it features fixed legs for enhanced stability, complemented by a subtly slatted tabletop and clean architectural lines.

Blending timeless Italian design with enduring materials, the Uz Table.90 brings understated elegance to everyday outdoor living.



90 /35.50



90 /35.50

Please visit for the product configuration and more detailed information.
https://yaaz.com/product/uz-table-90

Teak

YAAZ oversees every stage of its teak furniture production, from carefully selecting sustainably sourced teak to crafting and finishing each piece. Using precision machinery and controlled kiln-drying processes, we ensure lasting quality and durability.

Teak is a natural, low-maintenance material designed to withstand outdoor conditions throughout the seasons. Over time, exposure to sunlight and rain naturally transforms its honey-gold color into a soft, silvery-grey patina, allowing the furniture to age beautifully and naturally.

Cleaning and Using Instructions
Teak naturally contains oils that help protect the wood. To maintain its surface, apply teak oil or a suitable water-based protector once or twice a year.
Avoid varnishes and similar chemical coatings.
Sand aged or worn surfaces using 150–180 grit sandpaper, then clean with teak cleaner and allow to dry.
Repeat the sanding and cleaning process.
Apply a water-based protective coating with a cloth, covering all surfaces, including hidden areas.
Allow the first coat to dry for 24 hours before applying the second coat.
The second coat becomes touch-dry after approximately 4 hours in a well-ventilated environment at an average temperature of 20°C.

Teak COLOR OPTIONS



natural teak | dark teak | white teak

> Sustainable Sourcing: YAAZ uses no teak of forest origin, but only teak supplied from sustainable Myanmar (Burma) that strictly adhere to the rigorously controlled environment and certified criteria which include replanting trees after harvest.

YAAZ

yaaz.com
info@yaaz.com